



MOTOTRBOTM **RADIO ACCESSORIES** THE POWER OF YOUR RADIO UNLEASHED





THE POWER OF YOUR RADIO UNLEASHED



MOTOTRBO radios are already best in class, but to help you work at your best, you need enhancements targeted to your specific workplace. We've developed a line of accessories with unique features designed to optimise the performance of your radio in your work environment, unleashing the full power of the industry's most advanced digital radio platform.

IMPRES[™] BATTERIES AND CHARGERS

Get rid of the guesswork and get more from every battery. Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES™ chargers tell you exactly how much capacity is in an IMPRES™ battery before you attach it to your radio and exactly when an IMPRES™ battery has reached the end of service life.

Enjoy 43% longer battery life from IMPRES[™] over non-IMPRES[™] batteries – without spending maintenance or record keeping time and effort. With IMPRES[™] Battery Fleet Management Software, you can check the status of 25 or 25,000 batteries at a glance, from one computer.

IMPRES[™] AUDIO

Make sure every word is heard regardless of the level or direction you're speaking into the accessory. Be clearly heard the first time and eliminate repeating yourself. Whether you need to talk loudly or quietly, into or away from the accessory, IMPRES[™] Audio lowers the loud talker level and raises the soft talker level automatically so listeners do not have to adjust the volume depending on who is talking.

Policing a busy airport, fixing equipment on a noisy production floor or assisting guests in a quiet hotel, IMPRES[™] Audio promises a high quality communication experience.

WINDPORTING

Communicate clearly in difficult weather. Wherever you work – in howling wind, driving rain, and severe weather – Windporting helps you communicate effectively and listeners hear clearly.

Windporting technology eliminates the whining and howling sounds of wind blowing across your lapel/remote speaker microphone. It also prevents water from clogging the microphone for clearer transmissions.

INTELLIGENT AUDIO

Focus on your job instead of your radio volume. Make adjusting your radio volume based on background noise a thing of the past. Intelligent Audio listens to sounds in the background and automatically raises or lowers your radio volume so you can always hear. If you're heading from a noisy area to a quiet place, you won't disturb others because you forgot to adjust the volume.

Intelligent Audio when complemented with IMPRES™ Audio takes your communications to a new level.

OPERATIONS CRITICAL WIRELESS

Work with your radio like never before. Place your radio on a desk or cart, in a purse, medical bag or backpack and converse seamlessly with your wireless earpiece up to 10m away from your radio. Put your wireless PTT where you want to – on a clipboard, steering wheel or coat pocket – without wires getting in the way. Motorola Bluetooth enabled radios allow both an Operations Critical Wireless PTT and audio accessory to be connected and used at the same time. And Operations Critical Wireless accessories last up to 10 hours – up to 3 times the battery life of commercial Bluetooth[®] headsets.





DP2000 SERIES

DP3000 SERIES



DP4000 SERIES

DP3441

SL SERIES

ONLY MOTOROLA OFFERS A WEALTH OF EXCLUSIVE AUDIO FEATURES THAT ENSURE YOUR MESSAGE IS HEARD EVEN IN THE MOST DEMANDING WORK CONDITIONS

IMPRES™	WINDPORTING	NOISE-CANCELING	INTELLIGENT
AUDIO	AUDIO	AUDIO	AUDIO
Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.	Reduce the effect of wind and other outdoor noises so your messages are always heard clearly.	Reduce the effect of background crowd and machinery noise so your messages are always heard clearly.	Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

COMPATIBILITY	ACCESSORY			FEATURES			
	includes Remote Sp	S eaker Microphones and secondary audio access ications even in loud environments.	sories				
PORTABLE RADIOS	REMOTE SPEAKER MICROPHONES	DESCRIPTION	PART NUMBER	IMPRES™	INTELLIGENT AUDIO	WINDPORTING OR NOISE-CANCELING	VOLUME CONTROL ¹
	80	Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP54)	PMMN4024		•	Windporting	
		IMPRES™ Windporting Remote Speaker Microphone with 3.5mm audio jack and emergency button, small (IP54)	PMMN4025	•	•	Windporting	
	13	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4040		•	Windporting	
DP3000 SERIES		IMPRES™ Windporting Remote Speaker Microphone with volume control, emergency button and programmable button, large, submersible (IP57)	PMMN4046	•		Windporting	
<u>.</u>	525	IMPRES™ Noise-Cancelling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4050	•		Noise-Canceling	
DP4000 SERIES	9	IMPRES™ Industrial Noise-Cancelling Remote Speaker Microphone, submersible (IP57)	NNTN8382	•		Dual Microphone Noise-Cancellation	
SERIES	1	IMPRES™ Industrial Noise-Cancelling Remote Speaker Microphone with threaded 3.5mm audio jack	NNTN8383	•		Dual Microphone Noise-Cancellation	
	Q	IMPRES™RSM Replacement Cable	RLN6075				
		IMPRES™ Noise-Cancelling Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4071	•		Noise-Canceling	
DP2000 SERIES	\mathbf{i}	IMPRES™ Windporting Remote Speaker Microphone with 3.5mm audio jack, small (IP55)	PMMN4073	•		Windporting	
يل	\mathbf{Q}	Windporting Remote Speaker Microphone, small, submersible (IP57)	PMMN4075		•	Windporting	
DP3441	2	Windporting Remote Speaker Microphone with 3.5mm audio jack, large (IP54)	PMMN4076		•	Windporting	

¹ Two settings switch for volume - high and low.

IMPRES™ AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

WINDPORTING (MOTOROLA EXCLUSIVE) OR NOISE-CANCELLING: Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

Noise-cancelling microphones negates crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

AUDIO JACK: Connect a variety of comfortable earpiece styles to the remote speaker microphone for a more discreet communication option.

ORANGE BUTTON: This essential programmable button on top of the microphone is easily activated if you are in trouble. This button can also be set for any programmable feature on the radio, such as emergency.

VERTICAL MARKETS²

All remote speaker microphones are built with top quality materials including durable **Kevlar®** cables that survive tough working conditions.

PROGRAMMABLE BUTTON	AUDIO JACK (3.5 MM)	IP RATING	INTRINSIC SAFETY RATING	SIZE (MM)	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
	X	IP54	FM	Small 55 x 60 x 27 (without clip)	•			•	•	٠	•
	Ţ	IP54	FM	Small 55 x 60 x 27 (without clip)	•			•	•	٠	•
		♦ IP57	FM	Small 55 x 60 x 27 (without clip)	•	•	•	•			
, Č		▲ IP57	FM	Large 60 x 78 x 28 (without clip)	•	•	•	•			
	X	IP54	FM	Large 60 x 78 x 28 (without clip)	•	•	•	•			
		♦ IP57		Large 60 x 78 x 28	High Noise	High Noise	High Noise				
) (*	IP54		Large 60 x 78 x 28	High Noise	High Noise	High Noise				
) (*	IP54		Large 60 x 78 x 28 (without clip)	•	•	•				
) (*	IP55		Small 55 x 60 x 27 (without clip)	•				•	•	•
		♦ IP57		Small 55 x 60 x 27 (without clip)	•	•	•				
	X *	IP54		Small 55 x 60 x 27 (without clip)	•				٠	٠	•

² These are recommended uses based on typical use case for each market listed.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

VOLUME CONTROL: Conveniently access the volume control. Toggle switch allows you to easily adjust between high and low volume as needed.

IP RATING: The international standard for rating dust and water protection. The first digit represents the level of dust protection: 5 provides excellent protection from dust. The second digit represents water protection. IP54 provides protection from water sprayed from all

directions, IP55 protects against driving rain, and \blacklozenge IP57 resists submersion in 1 metre of fresh water for 30 minutes.

INTRINSIC SAFETY RATING: Motorola-approved accessories are a critical part of the overall radio system certified by a recognised testing organisation as intrinsically safe. Non-Motorola approved accessories may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.


COMPATIBILITY	ACCESSORY			FEATURES	
REMOTE SPEAKE	ER MICROPHONE AC	CESSORIES These earpieces give you the fl	exibility to receive r	adio communications more o	discreetly.
PORTABLE RADIOS	RSM ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	INTRINSIC SAFETY RATING
	0	Receive-Only Covered Earbud with coiled cord	AARLN4885	Covered Earbud	FM
DP3000 SERIES DP4000 SERIES	53	Receive-Only Earpiece with translucent tube and rubber eartip	RLN4941	Clear Rubber Eartip	FM
DP3441 DP2000 SERIES	69	Receive-Only Flexible Earpiece	WADN4190	Over-the-ear	FM
	< <u>(</u>	Receive-Only D-Shell Earpiece	PMLN4620	Over-the-ear	FM

Even though the above secondary audio kits are FM approved, DP2000 Series and DP3441 are not FM approved. Hence, the overall system level of DP3441 and DP2000 Series remain non FM approved.

WHICH MICROPHONE IS RIGHT FOR ME?

If you work outdoors in demanding weather, a **Windporting microphone** is right for you. It reduces the effects of wind and other sounds whenever you use the microphone. It also prevents water from clogging the microphone for clear transmissions.

Talking in a crowd or near noisy machinery? A **Noise-Cancelling microphone** reduces background sounds. To optimise its noise reduction capabilities, hold the microphone in the correct use position directly in front of your mouth, facing the source of the noise (as shown in photo).



COMPATIBILITY

ACCESSORY

FEATURES

SURVEILLANCE ACCESSORIES AND EARPIECES Transmit and receive discreetly with a variety of surveillance kits that feature a streamlined design and rugged cables that withstand tough conditions. A quick-disconnect, durable and comfortable translucent tube enables easy sharing between shifts.

PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES™	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE
DP3000 SERIES	Dt	1-Wire Receive-only earpiece, black	PMLN6125	•		Earpiece	
	10	1-Wire Receive-only earpiece, beige	PMLN6126		•	Earpiece	
DP4000 SERIES		IMPRES™ 2-Wire Surveillance Kit, programmable button, black	PMLN6127	•	•	Earpiece	ě
		IMPRES™ 2-Wire Surveillance Kit, programmable button, beige	PMLN6128	•	•	Earpiece	7

IMPRES™ AUDIO (MOTOROLA EXCLUSIVE): Ensure your voice is heard clearer, crisper, and louder regardless of level or direction you're speaking into the accessory.

INTELLIGENT AUDIO (MOTOROLA EXCLUSIVE): Set your volume once. Depend on your accessory to listen for changes in background noise, adjusting the volume automatically so you hear every call.

MICROPHONE AND PTT: Some accessories have a microphone on the same wire as push-to-talk (2-wire surveillance kit) or on a separate wire (3-wire surveillance kits). Microphones are small, easy to mount and hide during surveillance operations, yet powerful enough to pick up whispered transmissions and reduce ambient noise.

DUP: INCLUSION OF CONTROL OF CONTROL

VERTICAL MARKETS¹

Two-wire kits have one wire for receiving transmissions and one wire with a combined microphone and push-to-talk. Three-wire kits feature separate wires for receiving transmissions, push-to-talk and microphone.

PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
						•	•	•
						•	•	•
۵.	٠					•	•	•
y	Y					•	•	•

¹These are recommended uses based on typical use case for each market listed.

PROGRAMMABLE BUTTON: This programmable button allows you to access key features while you keep your radio on your belt or hidden under a jacket.

COMPATIBILITY	ACCESSORY			FEATURES					
SURVEILLANCE A	CCESSORIES AND EA	ARPIECES							
PORTABLE RADIOS	SURVEILLANCE ACCESSORIES	DESCRIPTION	PART NUMBER	IMPRES™	INTELLIGENT AUDIO	EARPIECE TYPE	MICROPHONE		
	3	1-Wire Surveillance Kit with translucent tube, in-line microphone and PTT, black	NNTN8459			Clear Rubber Eartip			
<u> </u>	\bigcirc	IMPRES™ 2-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6129	•	٠	Clear Rubber Eartip	ě		
DP3000 SERIES	J.	IMPRES™ 2-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6130	•	•	Clear Rubber Eartip	7		
<u> </u>	-08	IMPRES™ 3-Wire Surveillance Kit with translucent tube, programmable button, black	PMLN6123	•	•	Clear Rubber Eartip			
DP4000 SERIES	6	IMPRES™ 3-Wire Surveillance Kit with translucent tube, programmable button, beige	PMLN6124	•	•	Clear Rubber Eartip			
	P a	2-Wire Surveillance Kit with translucent tube, black	PMLN5724		•	Clear Rubber Eartip			
DP3441 DP2000 SERIES	9	2-Wire Surveillance Kit with translucent tube, beige	PMLN5726		٠	Clear Rubber Eartip			
SL SERIES	S.	1-Wire Surveillance Kit with in-line mic and push-to-talk, black	PMLN5957						

COMPATIBILITY	ACCESSORY			FEATURES			
SURVEILLANCE A	CCESSORY REPLAC	EMENT KITS					
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS		
		Low Noise Kit with translucent tube and 1 clear rubber eartip	RLN6242	Clear Rubber Eartip	PMLN6123 PMLN6124		
	11	Replacement standard clear rubber eartip. Pack of 2 (1 pair)		Clear Rubber Eartip	PLMN6127		
DP3000 SERIES		Replacement Foam Plugs for RLN6242. Noise reduction = 24dB. Pack of 2 (1 pair)	RLN6281	Foam Eartip	PMLN6128 PMLN6129		
		Note: for High noise kit solution combine Low Noise Kit and RLN6281 Replacement Foam Plugs		Foam Eartip	PMLN6130 NNTN8459		
-	\sim	Low Noise Kit with 1 clear rubber eartip	RLN5886	Clear Rubber Eartip	RLN5882 RLN5883 PMLN5111		
DP4000 SERIES	15	High Noise Kit with 2 foam earplugs	RLN5887	Foam Eartip	PMLN5112 PMLN6125 PMLN6126		


			VERTICAL MA	RKETS ¹					
PTT	PROGRAMMABLE BUTTON	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
							•	•	•
							•	•	•
7	Ĩ.						•	•	•
							•	•	
P	P						•	•	
							•	•	•
							•	•	•
Ø							•	•	•
\mathbf{v}^{rr}			¹ These are recommon			1.1.1.1.1			

1 These are recommended uses ba	sed on typical use c	ase for each market listed.


COMPATIBILITY	ACCESSORY			FEATURES	
SURVEILLANCE A	CCESSORY REPLACE	MENT KITS			
PORTABLE RADIOS	REPLACEMENT KITS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
DP2000 DP3441 Series	22	Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement for PMLN5724/PMLN5726)	HKLN4478	Clear Rubber Eartip	PMLN5724 PMLN5726
SL SERIES	N	Replacement quick disconnect translucent tube with 1 clear rubber eartip (replacement PMLN6175 Clear Rul for PMLN5957)		Clear Rubber Eartip	PMLN5957
	C5	Small Custom Earpiece - Right Ear	RLN4760	Custom Earpiece	
1.1	Č5	Medium Custom Earpiece - Right Ear	RLN4761	Custom Earpiece	
<u>a</u> 🚽	C.	Large Custom Earpiece - Right Ear	RLN4762	Custom Earpiece	
	(Small Custom Earpiece - Left Ear	RLN4763	Custom Earpiece	
DP3000 DP4000 SERIES SERIES	Č	Medium Custom Earpiece - Left Ear	RLN4764	Custom Earpiece	
	<u>C</u>	Large Custom Earpiece - Left Ear	RLN4765	Custom Earpiece	

COMPATIBILITY	ACCESSORY			FEATURES			
EARPIECES							
PORTABLE RADIOS	EARPIECES	ES DESCRIPTION		EARPIECE TYPE	MICROPHONE	PTT	INTRINSIC SAFETY RATING
DP3000 SERIES DP4000 SERIES	€_s	D-Style Earset with boom microphone and in-line push-to-talk	PMLN5096	D-Style	Boom	In-Line	FM
SL SERIES	Re or	Swivel Earpiece with in-line microphone and push-to-talk	PMLN5958	Over-the-Ear	In-Line	In-Line	
MAG ONE ACCES	SORIES						
1.1	R	Mag One Earbud with in-line microphone and push-to-talk	PMLN5733	Earbud	In-Line	In-Line	
- 🎽 🎽 -	\odot	Mag One Swivel Earpiece with in-line microphone and push-to-talk	PMLN5727	Over-the-Ear	In-Line	In-Line	
DP2000 DP3441 SERIES	62	Mag One Earset with boom microphone and in-line push-to-talk	PMLN5732	Earset	In-Line	In-Line	

COMPATIBILITY	ACCESSORY			FEATURES			
HEADSETS							
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES™	MICROPHONE
1		Heavy Duty Behind-the-Head Headset with Noise-Cancelling boom microphone, noise reduction = 24dB (See user guide for replacement parts)	PMLN5275	Behind-the-Head	Dual-Ear		Boom
	es	IMPRES™ Temple Transducer with boom microphone and in-line push-to-talk	PMLN5101	Behind-the-Head	Bone Conductor	•	Boom
DP3000 DP4000 SERIES SERIES	ĊE	Lightweight Over-the-Head Headset single muff with in-line push-to-talk and boom mic (Replacement parts: RLN6283-Kit includes foam earpad and microphone cover)	RMN5058	Over-the-Head	Single-Ear		Boom
		Ultra-Lite Behind-the-Head Headset, single muff with in-line push-to-talk and boom mic (Replacement parts: 6104000K01-Windscreen; 4204005K01-Clothing clip)	PMLN5102	Behind-the-Head	Single-Ear		Boom



¹ These are recommended uses based on typical use case for each market listed.



			VERTICAL MA	RKETS ¹					
PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
In-Line	Heavy Duty	FM		•	•	•			
In-Line	Lightweight	FM	•	•	•	•	•		•
In-Line	Lightweight	FM		•	•		•	•	•
In-Line	Ultra Lightweight	FM		•	•		•	•	•

earplugs and still hear the radio.

13

COMPATIBILITY	ACCESSORY			FEATURES					
HEADSETS									
PORTABLE RADIOS	HEADSETS	DESCRIPTION	PART NUMBER	HEADSET TYPE	EARPIECE STYLE	IMPRES™	MICROPHONE		
DP2000 SERIES DP3441	Solution	Heavy-Duty Headset with Noise-Cancelling boom mic and in-line push-to-talk, noise reduction = 24dB (See user guide for replacement parts)	PMLN5731	Over-the-Head	Dual-Ear		Boom		

COMPATIBILITY	ACCESSORY			FEATURES					
		LUETOOTH® ACCESSORIES This portfolic bluetooth devices subject to in-country type a				emove the	radio from	your belt	t
PORTABLE RADIOS	ACCESSORIES	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE ¹	Charge Time (Hours)	WEIGHT (GRAMS)
DP3000 SERIES	é	Operations Critical Wireless Bluetooth® Adapter	PMLN5712	N/A	N/A	On Adapter			30
DP3000	5	Operations Critical Wireless Earpiece with 12 inch cable	NTN2572 & PMLN6050	Over-the-ear (CommPort [™])	Directional, above the Earpiece	On PTT Pod	10	3	43
SERIES DP4000 SERIES	-	Operations Critical Wireless push-to-talk pod	PMLN6050	N/A	N/A	On PTT Pod	10	3	43
DP3441	Q	Business Radios Bluetooth Solutions	PMLN6463	Swivel	Inline	On Pod (order separately)	8	<3	32
SL SERIES	Q	XBT Operations Critical Wireless Behind- the-Neck Headset	RLN6490	Behind-the- head	noise cancellation microphone		22	7	429
	9	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Over-the head	noise cancellation microphone	on the headset	22	7	422
BLUETOOTH CHA	ARGING SOLUTIONS								
	1	Micro USB Charger (AUS)	PMPN4007	N/A	N/A	On Adapter			35
OPERATIONS CR	ITICAL AND ENHAN	ICED OPERATIONS CRITICAL WIRELES	S ACCESSORIE	s					
DP3000 DP4000 Series Series		Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-lino	On Pod (order sepa	rately)		
DP3441 SL SERIES	5	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-lino	On Pod (order sepa	rately)		

DP4000 series radios must be "DP4x01" models with Bluetooth® functionality enabled.

MICROPHONE: The in-line microphone on the earbud earpiece is designed for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.

			VERTICAL MAI	RKETS ¹					
PTT	WEIGHT	INTRINSIC SAFETY RATING	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
In-Line	Heavy Duty			•	•				
				¹ These are re	commended uses base	d on typical use case	for each market listed.		

VERTICAL MARKETS¹

Note: SL SERIES and DP4x01 portable radios have Bluetooth® embedded in the radio and do not require a separate external adapter.

SIZE (MILLIMETRES)	OPERATIONS CRITICAL / ENHANCED OPERATIONS CRITICAL	TOUCH/ STANDARD PAIRING	RANGE (METRES LINE OF SIGHT)	IP RATING	INTRINSIC SAFETY RATING ²	TRANSPORTATION AND LOGISTICS	MANUFACTURING AND CONSTRUCTION	UTILITIES OR PUBLIC SERVICE	OIL AND GAS	PRIVATE SECURITY	HOSPITALITY AND RETAIL	EDUCATION (CAMPUSES)
65 x 22 x 20	Operations Critical	Standard		● IP57		•	•	•		•	•	•
70 x 41 x 25	Operations Critical	Standard	10	IP54	FM	•	•	•	•	•	•	•
70 x 41 x 25	Operations Critical	Standard	10	IP54	FM	•	٠	•	•	•	•	•
44 x 32 x 11	Operations Critical	Standard	8			•		•		•	•	•
120 x 160 x 160	Operations Business	Standard	10	IP54		•	•	•				
120 x 160 x 160	Operations Critical	Standard	10	IP54		•	٠	•				
						'						

65 x 22 x 20						
	•	•	•	•	•	•
	•	•	•	•	•	•
		¹ These are re	commended uses based on typica	al use case for each market liste	d	

OPERATIONS CRITICAL: This Bluetooth[®] solution specifically for businesses features simple pairing, high quality audio and fast push-to-talk to ensure every word is transmitted.

COMPATIBILITY	ACCESSORY			FEATURES			
MOTOROLA ORIGI MOTOTRBO radio. MO	NAL [®] TWO-WAY DTOTRBO batteries a	RADIO BATTERIES The only batteries develo re Proven Tough, in lab test after lab test, to with	ped, tested and cen stand shocks, knoc	rtified for optin ks, drops and	nal performanc shakes and ou	e with your tperform the ot	ther brands.
PORTABLE RADIOS	BATTERIES	DESCRIPTION	PART NUMBER	IMPRES™	CHEMISTRY	MIN. RATED CAPACITY (mAh)	APPROXIMATE OPERATIONAL TIME (HOURS) 5/5/90 DUTY CYCLE
		IMPRES [™] Li-Ion 1500 mAh battery Submersible (IP57)	PMNN4066	•	Li-Ion	1500	Analog: 9 Digital: 13
		IMPRES™ Li-Ion 1400 mAh battery Submersible (IP57), Intrinsically safe (FM)	PMNN4069	•	Li-Ion	1400	Analog: 9 Digital: 12
DP3000 SERIES		IMPRES™ Li-Ion 2200 mAh battery Submersible (IP57)	PMNN4077	•	Li-Ion	2150	Analog: 13 Digital: 18
	<u> </u>	IMPRES™ Slim Li-Ion1500 mAh battery Submersible (IP57)	PMNN4407	•	Li-lon	1500	Analog: 8 Digital: 11.5
4		IMPRES™ Hi-Cap Li-Ion 2150 mAh battery Submersible (IP57)	PMNN4409	•	Li-lon	2150	Analog: 11 Digital: 16.5
		IMPRES™ Hi-Cap Li-Ion 2700 mAh battery Submersible (IP57)	PMNN4448 (coming soon)	•	Li-lon	2700	Analog: 14 Digital: 20.5
DP4000 SERIES		IMPRES™ Hi-Cap Li-Ion 2300 mAh battery Submersible (IP57), Intrinsically safe (FM)	NNTN8129	•	Li-Ion	2300	Analog: 12 Digital: 17.5
DP2000 SERIES		IMPRES™ Slim Li-Ion 1500 mAh battery	PMNN4417	•	Li-Ion	1500	Analog: 8 Digital: 11.5
SERIES		IMPRES™ HiCap Li-Ion 2150 mAh battery	PMNN4418	•	Li-Ion	2150	Analog: 11 Digital: 16.5
		BT90 Li-Ion 1800mAh Battery	HKNN4013		Li-Ion	1800	11.5
		BT7X Li-Ion 1400mAh Battery	PMNN4425		Li-Ion	1400	8.5
6		BT100 Li-Ion 2200mAh Battery	PMNN4459		Li-Ion	2200	14
SL SERIES	0	Replacement Battery Cover (BT100-ultra high capacity battery)	PMLN6745				
	0	Replacement Battery Cover (BT90 - high capacity battery)	PMLN6001				
		Replacement Battery Cover (BT7X - standard battery)	PMLN6000				
DP3441	2.0	1600mAh Core Lilon battery	PMNN4440		Li-Ion	1600	Analog: 8.5 Digital: 12.3

IMPRES™ BATTERIES AND CHARGERS: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES™ chargers tell you exactly how much capacity is in an IMPRES™ battery before you attach it to your radio and exactly when an IMPRES™ battery has reached the end of service life.

INTRINSIC SAFETY RATING: Motorola-approved batteries are a critical part of the overall radio system certified by a recognized testing organisation as intrinsically safe. Non-Motorola approved batteries may not be certified for MOTOTRBO and if used, could result in equipment that is NOT approved or unsafe in a hazardous environment.

DIMENSIONS (MILLIMETRES)	WEIGHT (MAX. GRAMS)	INTRINSIC SAFETY RATING	IP RATING
129 x 55 x 21	145		● IP57
129 x 55 x 23	155	FM	● IP57
129 x 55 x 23	160		● IP57
113 x 52 x 18	125		● IP57
113 x 52 x 24	150		● IP57
113 x 52 x 24	150		● IP57
113 x 52 x 24	150	FM	● IP57
113 x 52 x 18	125		IP55
113 x 52 x 18	125		IP55
9 x 36 x 54	38		
7 x 36 x 54	30		
100 x 63 x 24	120		▲ IP57



HOW DO IMPRES[™] BATTERIES AND CHARGERS SAVE MONEY?

They reduce the number of spare batteries you buy and increase the time before you need replacements. Only IMPRES™ batteries can be charged 150 additional times versus a standard battery – a 43% increase in charge cycles. If you charge radios two to three times a week, you'll get more than an extra year out of every IMPRES™ battery.

KNOCKS. DROPS. SHOCKS. VIBRATION. STATIC.

If your radio gets banged on a ride, rattled by heavy equipment or shocked by static electricity, our batteries will stay true and stand tough. These rigorous lab tests prove that Motorola radio batteries perform robustly and reliably, despite the toughest conditions. What's more, we stand behind every battery we build.

See www.motorolasolutions.com/proventough for details.

PROVEN TOUGH BATTERY TESTING PASS I	RATE
MOTOROLA	98%
POWER PRODUCTS	53%
MULTIPLIER 4	7%
HONEYWELL	52%

BATTERY WARRANTY: Take advantage of our comprehensive one year warranty. We warrant that our products shall conform to their published and/or agreed upon operational specifications and to be free from defects in material, workmanship and functionality for the period of the warranty.

COMPATIBILITY	ACCESSORY			FEATU	RES			
CHARGER SOLUTI and be confident your	ONS Choose from a va	riety of solutions including single-unit, multi-u eady to go the moment you need it.	unit, travel and in-ve	ehicle char	gers			
PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES™	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETRES)	NUMBER OF POCKETS
DP2000 SERIES		Core Single Unit Charger ANZ Plug w Linear PS	WPLN4256		Li-Ion, NiMh	240V	42 x 105 x 107	1
		IMPRES™ Single Unit Charger, ANZ 3 Pin	WPLN4256	•	Li-Ion, NiMh	240V	61 x 97 x 163	1
Ë	1000	IMPRES™ Multi-Unit Charger, non-Display, 110-230V, ANZ Cord	WPLN4215	•	Li-Ion, NiMh	110-230V	153 x 445 x 292	6
DP3000 SERIES		IMPRES™ Multi-Unit Charger, with Display, 110-230V, ANZ Cord	WPLN4222	•	Li-Ion, NiMh	110-230V	153 x 445 x 292	6
ų 👘	40	Display Module for IMPRES™ Multi-Unit Charger	RLN5382	•				
DP4000 SERIES	1 1111 ****	Wall Mount Bracket for IMPRES™ Multi- Unit Charger	NLN7967					
-	~	Micro USB Charger	PMPN4007		Li-lon	100-240V		1
SL SERIES	Þ	Tri-unit Rapid Rate Charger (Simultaneously charge radio, spare battery and a Bluetooth device)	PMLN6353		Li-Ion	100-240V	52 x 93 x 113	2 + 1
SE SENIES	andress.	Six-Pocket Multi-Unit Rapid Rate Charger	PMLN6690		Li-Ion	100-240V	65 x 424 x 110	6
VEHICULAR AND	TRAVEL CHARGERS							
	2	Impres Single Unit Charger, ANZ 3 Pin	PMLN5799	•	Li-Ion, NiMh	230V	61 x 97 x 163	1
ш	and the second	Impres Multi-Unit Charger, Non-Display, 110-230V, ANZ Cord	WPLN4190	•	Li-Ion, NiMh	110-230V	153 x 445 x 292	6
DP3441	AND DO	Impres Multi-Unit Charger, Display, 110-230V, ANZ Cord	WPLN4195	•	Li-Ion, NiMh	110-230V	153 x 445 x 292	6
	11.11	Insert for MOTOTRBO Multi-Unit Charger	WPLN6669					

 Travel Charger, rapid rate with voltage regulated vehicular charger adapter, custom charger base, mounting bracket, and coil cord
 NNTN8525
 Li-lon, NiMh
 Cigarette Lighter Adapter
 58 x 64 x 67

1

DP3000 SERIES

COMPATIBILITY	ACCESSORY			FEATU	RES			
		iety of solutions including single-unit, multi-un ady to go the moment you need it.	it, travel and in-vel	hicle chai	rgers			
PORTABLE RADIOS	CHARGERS	DESCRIPTION	PART NUMBER	IMPRES™	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETRES)	NUMBER OF POCKETS
IMPRES BATTERY	(MANAGEMENT TO	DLS						
DP2000	1	IMPRES™ Battery Reader	NNTN7392					
SERIES		IMPRES™ Battery Fleet Management Multi-Unit Charger Interface Unit	NNTN7677					
DP3000 SERIES		IMPRES™ Battery Fleet Management Single-Unit Charger Interface Unit	NNTN8045					
DP4000 SERIES		IMPRES™ Battery Fleet Management License key	HKVN4039					
SEKIES	0	IMPRES™ Battery Fleet Management Software	NNTN7979					

IMPRES™: Get the most out of every battery and eliminate the surprise of "low battery alerts". IMPRES™ chargers tell you exactly how much capacity is in an IMPRES™ battery before you attach it to your radio and exactly when an IMPRES™ battery has reached the end of service life.

NUMBER OF POCKETS: MOTOTRBO multi-unit chargers let you simultaneously charge up to 6 radios and/or batteries. The unique tri-unit charger for the SL Series enables you to charge a radio, spare battery and wireless device simultaneously.

IMPRES™ BATTERY FLEET MANAGEMENT SOFTWARE REPORTS

S Materian Normal size (mm)		Ariat have for a	Anna Salara			2 2 1						
B. Provide large grant Sections Section	Description Description <thdescription< th=""> <thdescription< th=""></thdescription<></thdescription<>	CONTRACTOR NAME	24 4		2 H	7.5.8.8	1 . A					
Linet Ni	Startic All	And the state of t	1200000	100	10.00	CONTRACTOR OF T	1000	1	0	-	lane .	lime 1
Billish Weit Billish Weit<	Sector Sector<		and the second second	170	177		-				(April)	Page 14
Normality Normality <t< td=""><td>Normality Normality <thnormality< th=""> <thnormality< th=""> <thn< td=""><td>to head the</td><td></td><td></td><td>percui.</td><td>of the distance in the local distance in the</td><td></td><td>hit</td><td>24</td><td>10.0</td><td>104</td><td>100 m</td></thn<></thnormality<></thnormality<></td></t<>	Normality Normality <thnormality< th=""> <thnormality< th=""> <thn< td=""><td>to head the</td><td></td><td></td><td>percui.</td><td>of the distance in the local distance in the</td><td></td><td>hit</td><td>24</td><td>10.0</td><td>104</td><td>100 m</td></thn<></thnormality<></thnormality<>	to head the			percui.	of the distance in the local distance in the		hit	24	10.0	104	100 m
Direction (= high-investige) Direction (= high-investige) <th< td=""><td>Normal is independent Normal is independent</td><td>and the second s</td><td></td><td></td><td>parts</td><td></td><td></td><td>Jan 1</td><td>28</td><td>H</td><td>2et</td><td></td></th<>	Normal is independent	and the second s			parts			Jan 1	28	H	2et	
Bit water Bit water <t< td=""><td>Antion State State State State<td></td><td>Contraction of the local division of the loc</td><td></td><td>and the second se</td><td>and the second second</td><td>A COLUMN TWO IS NOT</td><td>_</td><td></td><td></td><td></td><td>and the second sec</td></td></t<>	Antion State State State State <td></td> <td>Contraction of the local division of the loc</td> <td></td> <td>and the second se</td> <td>and the second second</td> <td>A COLUMN TWO IS NOT</td> <td>_</td> <td></td> <td></td> <td></td> <td>and the second sec</td>		Contraction of the local division of the loc		and the second se	and the second	A COLUMN TWO IS NOT	_				and the second sec
Bit March Bit March Barto	Barry B	In Transfer to Asurementation		-				P	40.00			
Exercicle Event to an line	Anti-Column	al formation						-				
Linear Linear <thline< th=""> Line Line</thline<>	Normal Is and Data Normal III and Data Normal IIII and Data		and the second second	_							-00	
Normet is unitary	Operation for up 1 (and 1) Sec. (c) Sec	# serence						et	4.7.1.1			DO. NOT
Description Description <thdescription< th=""> <thdescription< th=""></thdescription<></thdescription<>	Control (no.) Contro (no.) Control (no.) Control (In Connects to raw Count	Contraction of the local sectors of the local secto	_				£0		- Cil		
Lines weeks op const Construction Const	Control (Not (Not (Not (Not (Not (Not (Not (Not	And an an an an an an an		-			a state of the	22	101		-	LOVer
Link web for Units Link Link <thlink< th=""> Link Link<td>Mile Weit A. Strack M. Mail Method Mail Method</td><td>2 COMPLET OF MARINE</td><td>Bernet Co.A.</td><td></td><td>Laboration of the</td><td>of the second second</td><td>And in case of the local division of the loc</td><td>and a</td><td></td><td></td><td>Total I</td><td>The State Street Barrier</td></thlink<>	Mile Weit A. Strack M. Mail Method	2 COMPLET OF MARINE	Bernet Co.A.		Laboration of the	of the second second	And in case of the local division of the loc	and a			Total I	The State Street Barrier
Links truck to task (N) P	Number Stark (N) Participant	In make here, to har chest	Acres of	14			Statistics.	and a	12	100	10-	and the second
A services And		A main mark to part and	100.00	in .		of a second second	-			10.0	1.00	and the second
A Control American	And to the set of the		A DESCRIPTION OF	11			ACCREMENTS.	1.14	250	NR	34.	2012/088
Market is varie (v)		4 10 10 10 10 10 10 10 10 10 10 10 10 10	Provide la	Post	(Income			and a	26	100	74	316,548
Construction of and the set of t	Construction Construction<	In Franklin in State (St.)	- Balling (12	ter.	Dentri .	A DOMESTIC: NO.			296.			
Units Wash (inscription on both wash (inscription on both wash) and (in) a) Units a) Uni	Number Name			Bit								
Visit Varia		Develop in 246 of unit feed		100	and stated as	Contract States		Dill.	22	104		
Der verbendenten Der verbendenten direkten sekten direkten sekten direkten d		In these hands in these structures				140	ALC: UNK	-	<u>17.</u>	100	13-	Access 1
4 table 2 table <t< td=""><td></td><td></td><td></td><td>-15-</td><td></td><td>Constant in the</td><td></td><td></td><td></td><td></td><td>- C</td><td></td></t<>				-15-		Constant in the					- C	
	Name Name Point Control of Control Control of Control Name Nam Nam Name	T ARE AND IN THE OWNER.		-					- 0-			
		# hotes		_			and in case of the local division of the loc	-				
A THE A REAL PARTY AND	A Control (C) Con		Constanting-				Sec. Part	- C	- 28		-	0000
Finness in James in house in the list list 1000	Married in water in both in the list of th			_			Transmission in which the		101			and the second se
	Print Print And Print Pr		and the second s	_			Section of				1	Colored To Colored
	Building has been recommended and in the local states	177		100			Concession in which the	-		10	_	COLUMN THE R
		ingently.	- Automatica and	_	The state	PT COURSE INC.				1.00		

mar V	Abarad Laterald
Page 11, 2008	40 outh (Present Overge) 42 % of SH47 outh (Present Overge) 40 % of SH47 outh (Present Overge) 40 % of SH47 outh (Present Overge) 40 % of SH47 outh (Present Overge) 001 % of SH46 Overge) 001 with (Overge) SH46 Overge) 001 SH46 Overge) SH46 Overge)
10 1 10 20	Total 2019ES Charge Cycles State Estimated Non-2019ES Charge Cacles Total Reconstrong Collection Cocles Estimated Clary Statilizer Francolouring Collection
Incommission	

IMPRES™ BATTERY FLEET MANAGEMENT ACTIVE BATTERY REPORT

IMPRES™ BATTERY DATA READER, GENERAL INFORMATION SCREEN

COMPATIBILITY	ACCESSORY			FEATURES			
		wailable in sizes designed to fit your radio and , so you can concentrate on the task at hand.	battery and permit	audio to be heard	clearly.		
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPLAY/ NON DISPLAY
	É	Nylon Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5869	Nylon	3	Fixed	Display
		Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (limited keypad model)	PMLN5867	Hard Leather	2.5	Swivel	Display
1	T	Hard Leather Carry Case with 3 inch Swivel Belt Loop (limited keypad model)	PMLN5865	Hard Leather	3	Swivel	Display
DP2000	Ê	Hard Leather Carry Case with 3 inch Fixed Belt Loop (limited keypad model)	PMLN5863	Hard Leather	3	Fixed	Display
SERIES	Í	Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5870	Nylon	3	Fixed	Non Display
	ť	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5868	Hard Leather	2.5	Swivel	Non Display
	T	Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5866	Hard Leather	3	Swivel	Non Display
	1	Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5864	Hard Leather	3	Fixed	Non Display
	Í	Nylon Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5015	Nylon	3	Fixed	Display
		Nylon Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5024	Nylon	3	Fixed	Non Display
DP3000 SERIES	Ú	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (display model)	PMLN5019	Hard Leather	2.5	Swivel	Display

MPATIBILITY	ACCESSORY			FEATURES			
	NS Choose from a wide your radio protected, ye	range of nylon cases, leather cases, straps, ho t still easy to access.	lsters and clips,				
RTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	DISPI NON DISPI
	1	Hard Leather Carry Case with 3 inch Swivel Belt Loop (display model)	PMLN5020	Hard Leather	3	Swivel	Disp
		Hard Leather Carry Case with 3 inch Fixed Belt Loop (display model)	PMLN5021	Hard Leather	3	Fixed	Disp
	1	Hard Leather Carry Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5028	Hard Leather	2.5	Swivel	Non Disp
	1	Hard Leather Carry Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5029	Hard Leather	3	Swivel	Nor Disp
	<u>Í</u>	Hard Leather Carry Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5030	Hard Leather	3	Fixed	Nor Disj
DP3000 SERIES		Soft Leather Case with 2 inch Swivel Belt Loop	PMLN5016	Soft Leather	2	Swivel	Dis
		Soft Leather Case with 3 inch Fixed Belt Loop	PMLN5018	Soft Leather	3	Fixed	Dis
	P	Plain Soft Leather 2.5 inch Swivel Belt Loop	PMLN5025	Soft Leather	2.5	Swivel	No Dis
	P	Plain Soft Leather 3 inch Swivel Belt Loop	PMLN5026	Soft Leather	3	Swivel	No Dis
	P	Plain Soft Leather 3 inch Fixed Belt Loop	PMLN5027	Soft Leather	3	Fixed	No Dis
		Nylon Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5844	Nylon	3	Fixed	Dis
	1	Hard Leather Case with 2.5 inch Swivel Belt Loop (full keypad model)	PMLN5842	Hard Leather	2.5	Swivel	Dis
	T	Hard Leather Case with 3 inch Swivel Belt Loop (full keypad model)	PMLN5840	Hard Leather	3	Swivel	Dis
	U	Hard Leather Case with 3 inch Fixed Belt Loop (full keypad model)	PMLN5838	Hard Leather	3	Fixed	Dis
DP4000 SERIES		Nylon Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5845	Nylon	3	Fixed	Nor Dis
		Hard Leather Case with 2.5 inch Swivel Belt Loop (non-display model)	PMLN5843	Hard Leather	2.5	Swivel	No Dis
		Hard Leather Case with 3 inch Swivel Belt Loop (non-display model)	PMLN5846	Hard Leather	3	Swivel	Nor Dis
		Hard Leather Case with 3 inch Fixed Belt Loop (non-display model)	PMLN5839	Hard Leather	3	Fixed	Nor Dis



COMPATIBILITY	ACCESSORY			FEATURES		
CARRY SOLUTION	IS					
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED
DP2000 SERIES DP4000 SERIES		Spring Action 2.5 inch Belt Clip	PMLN7008	Plastic	2.5	
DP2000 SERIES DP3000 SERIES DP4000 SERIES		Spring Action 2 inch Belt Clip	PMLN4651	Plastic	2	
DP3000 SERIES		Spring Action 2.5 inch Belt Clip	PMLN4652	Plastic	2.5	
SL SERIES		Carry Holder/Holster for SL series radio with Swivel Belt Loop	PMLN5956	Plastic	2	Swivel
DP3441		Carry Holster with Belt Clip	PMLN6545	Plastic	2	Swivel

COMPATIBILITY	ACCESSORY			FEATURES
CARRY SOLUTIO	NS			
PORTABLE RADIOS	CARRY SOLUTIONS	DESCRIPTION	PART NUMBER	MATERIAL
SL SERIES	~	Nylon Wrist Strap for securely carrying Motorola two-way radios	PMLN6074	Nylon
لس	10	Waterproof Bag with large strap for securely carrying Motorola two-way radios	HLN9985	Plastic
DP3441	AND NO.	Black Leather Epaulet Strap with clip to secure remote speaker microphone to shirt	RLN4295	Leather
<u>L</u>	M	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	Nylon
DP2000 SERIES	M	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	Nylon
		Replacement Strap for HLN6602 and RLN4570	1505596Z02	Nylon
DP3000 SERIES		Radio Pack Radio Utility Case	RLN4815	Nylon
		Radio Pack Extension Belt for waists larger than 40 inches	4280384F89	Plastic
DP4000 SERIES	9	Adjustable Carrying Strap	NTN5243	Leather
		2" Belt	4200865599	Leather
DP3000 Series		Accessory Connector Dust Cover	1571477L01	Plastic
DP2000 SERIES		Accessory Connector Dust Cover	15012157001	Plastic
DP4000 SERIES	9.0	Accessory Connector Dust Cover	PMLN6066	Plastic
DP3441	A	Accessory Dust Cover	0104058J40	Plastic



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
DP3000 SERIES	UHF/GPS Combination Folded Monopole Whip Antenna for the 403-433 MHz range	PMAE4018	UHF	403-433	•	14	Whip	
	1	UHF/GPS Combination Folded Monopole Whip Antenna for the 430-470 MHz range	PMAE4024	UHF	430-470	•	14	Whip
	/	UHF/GPS Combination Folded Monopole Whip Antenna for the 450-495 MHz range	PMAE4050	UHF	450-495	•	14	Whip
		UHF/GPS Combination Folded Monopole Whip Antenna for the 495-527 MHz range	PMAE4051	UHF	495-527	•	14	Whip

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.



COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS								
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	ТҮРЕ
		VHF/GPS Combination Helical Whip Antenna for the 136-147 MHz range	PMAD4067	VHF	136-147	•	16	Helical
		VHF/GPS Combination Helical Whip Antenna for the 147-160 MHz range	PMAD4068	VHF	147-160	•	16	Helical
DP3000 SERIES		VHF/GPS Combination Helical Whip Antenna for the 160-174 MHz range	PMAD4069	VHF	160-174	•	16	Helical
	/	GPS/800/900 MHz Combination Helical Antenna	PMAF4003	800/900 MHz	806-941	•	18	Helical

COMPATIBILITY	ACCESSORY			FEATURES				
ANTENNAS Get t offer superior perfo	he best possible recep rmance over DP3000 S	tion wherever you operate. New stubby antenna eries stubby antennas.	s for the DP4000 ar	nd DP2000 seri	es radios	_		
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE
	,	UHF Wideband Flexible Whip Antenna for the 403-470 MHz range	PMAE4022	UHF	403-470		16	Whip
		UHF Wideband Flexible Whip Antenna for the 450-512 MHz range	PMAE4049	UHF	450-512		16	Whip
	VHF Wideband Flexible Whip Antenna for the 136-174 MHz range	PMAD4124	VHF	136-174		21	Whip	
	1	UHF/GPS Combination Stubby Antenna for the 403-433 MHz range	PMAE4021	UHF	403-433	•	9	Stubby
-		UHF/GPS Combination stubby antenna for the 430-470 MHz range	PMAE4023	UHF	430-470	•	9	Stubby
DP3000	· ·	UHF/GPS Combination Stubby Antenna for the 450-512 MHz range	PMAE4048	UHF	450-512	•	9	Stubby
SERIES		VHF Stubby Antenna for the 136-147 MHz range	PMAD4093	VHF	136-147		11	Stubby
		VHF Stubby Antenna for the 147-160 MHz range	PMAD4094	VHF	147-160		11	Stubby
		VHF Stubby Antenna for the 160-174 MHz range	PMAD4095	VHF	160-174		11	Stubby



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
PORTABLE RADIOS	ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	LENGTH (CM)	TYPE
1.1		UHF Stubby Antenna (470-527 MHz)	PMAE4079	UHF	403-527	15	Whip
	1	VHF Helical Antenna (136-155 MHz)	PMAD4117	VHF	136-155	15	Helical
DP2000 DP4000 SERIES SERIES		VHF Helical Antenna (144-165 MHz)	PMAD4116	VHF	144-165	15	Helical
		VHF Helical Antenna (152-174 MHz)	PMAD4118	VHF	152-174	15	Helical
		UHF Stubby Antenna (403-450 MHz)	PMAE4069	UHF	403-450	11	Stubby
DP3441		UHF Stubby Antenna (440-490 MHz)	PMAE4070	UHF	440-490	11	Stubby
		UHF Stubby Antenna (470-527 MHz)	PMAE4071	UHF	470-527	11	Stubby
		VHF Stubby Antenna (136-148 MHz)	PMAD4119	VHF	136-148	9	Stubby
DP2000 DP4000 SERIES SERIES		VHF Stubby Antenna (146-160 MHz)	PMAD4120	VHF	146-160	9	Stubby
	2	UHF Antenna Kit for the 403-425 MHz range	PMAE4078	UHF	403-425	3.4	Stubby
SL SERIES		UHF Antenna Kit for the 420-445 MHz range	PMAE4076	UHF	420-445	3.4	Stubby
SL SENIES		UHF Antenna Kit for the 438-470 MHz range	PMAE4077	UHF	438-470	3.4	Stubby

COMPATIBILITY	ACCESSORY		
ANTENNA ACCES	SORIES		
PORTABLE RADIOS	ANTENNA ACCESSORIES	DESCRIPTION	PART NUMBER
		Grey Antenna ID Bands (pack of 10pcs)	32012144001
DP2000		Yellow Antenna ID Bands (pack of 10pcs)	32012144002
DP2000 SERIES		Green Antenna ID Bands (pack of 10pcs)	32012144003
DP4000 SENIES		Blue Antenna ID Bands (pack of 10pcs)	32012144004
SERIES		Purple Antenna ID Bands (pack of 10pcs)	32012144005
PROGRAMMING	CABLES		
<u></u>		Portable Programming Cable (USB) for DP2000 series and DP3441	PMKN4115
DP2000 SERIES	Q	Programming, Test, and Alignment Cable for DP2000 series and DP3441	PMKN4117
		Portable Programming Cable (USB) for DP3000 and DP4000 series	PMKN4012B
		Programming, Test, and Alignment Cable for DP3000 and DP4000 series	PMKN4013
DP3000 DP4000 SERIES SERIES	<i>.</i> 0	Portable Telemetry Cable	PMKN4040
SL SERIES	\bigcirc	Portable Programming Cable (micro USB) for SL series	25-124330-01R

MOTOTRBO MOBILE RADIOS



INTEGRATED VOICE AND DATA ON THE GO DM3000 SERIES



DM3000 SERIES

DM4000 SERIES

HANDS-FREE ACCESSORIES: Handling dispatch for a delivery company or hauling freight across the country, accessories must meet challenging installation and operational requirements. DM3000 series mobile accessories are specifically designed for hassle-free communication in a vehicle, for dispatch-enabled communication, and for easy installation.


UNRIVALED VOICE AND DATA ON THE GO DM4000 SERIES

EXPANDED ACCESSORY PORTFOLIO: The DM4000 series shares the same connector as the DM3000 series accessories enabling easy migration. This portfolio is enhanced with the optional integrated Bluetooth[®], giving more flexibility than ever before. Now your drivers can check on packages or walk around the loading dock and stay connected within 10 metres of their radio. A new IMPRES[™] keypad microphone features a four-way navigation button that makes accessing critical features on the large color display, dialing phone numbers and sending text messages easy.

MOTOTRBO MOBILE RADIOS

COMPATIBILITY	ACCESSORY			FEATURES	
MICROPHONES K The heavy-duty micr	Keypad microphones let ophone is easy to use w	you easily navigate menus on your DM3000 or /hile wearing gloves and the telephone-style ha	DM4000, dial phon Indset enables mo	e numbers and send text mess re discreet communication.	sages.
MOBILE RADIOS	MICROPHONES	DESCRIPTION	PART NUMBER	MICROPHONE STYLE	IMPRES™
DM3000 SERIES	S.	IMPRES™ Keypad Microphone	RMN5065	Keypad	•
DM4000 SERIES	<u>A</u>	IMPRES™ Keypad Microphone with 4-way navigation button	RMN5127	Keypad + Navigation	•
		Standard Compact Microphone	RMN5052	Compact	
<u>a</u>	Ś	IMPRES™ Heavy-Duty Microphone	RMN5053	Heavy-Duty	•
DM3000 SERIES	٦	IMPRES™ Telephone Style Handset	HMN4098	Telephone Style Handset	•
DM4000 SERIES	0	IMPRES™ Visor Microphone	RMN5054	Visor	•
	Ł	Desktop Microphone	RMN5050	Desktop	

COMPATIBILITY	ACCESSORY						
CONTROL STATION ACCESSORIES Quickly and conveniently convert your radio into a base station. Ideal for transportation, manufacturing and public service operations that have dispatch requirements.							
MOBILE RADIOS	CONTROL STATION ACCESSORIES	DESCRIPTION	PART NUMBER				
	100	Desktop Tray with speaker	RSN4005				
DM3000 SERIES	1	Desktop Tray without speaker	GLN7318				
DM4000 SERIES		Power Supply, 12V/8A with battery management, battery revert and fan control	APN6153				





HOW CAN I COMMUNICATE SAFELY IN MY VEHICLE?

The IMPRES[™] Visor Microphone mounts to your vehicle's visor for safe, convenient communication. Press the external push-to-talk button on the steering wheel to converse without taking your hands off the wheel or your eyes off the road. IMPRES[™] Audio compensates for the distance of the visor mic from your mouth so that your radio communications are loud and clear.


COMPATIBILITY

ACCESSORY

EXTERNAL PUSH-TO-TALK (PTT) Activate the PTT or emergency footswitch without having to use the mobile microphone. A simple pushbutton PTT can be held in the hand or mounted in your vehicle for easy access, while the emergency footswitch lets you discreetly activate emergency hands-free when a critical situation arises.

MOBILE RADIOS	MICROPHONE Accessories	DESCRIPTION	PART NUMBER
DM3000 SERIES	Ô	Pushbutton push-to-talk to interface with your visor microphone	RLN5926
DM4000 SERIES		Emergency Footswitch can be used with a visor microphone	RLN5929

MOTOTRBO MOBILE RADIOS



COMPATIBILITY ACCESSORY

AUCESSUNT

FEATURES

OPERATIONS CRITICAL WIRELESS BLUETOOTH® ACCESSORIES This portfolio is a game changer for your business as you have the flexibility to leave your truck or walk away from your desk and still remain connected to your radio up to 10 metres away.

MOBILE RADIOS	OPERATIONS CRITICAL WIRELESS	DESCRIPTION	PART NUMBER	EARPIECE TYPE	MICROPHONE
	5	Operations Critical Wireless Earpiece with 12 inch cable	NNTN8189	Over-the-ear tube (CommPort™)	Directional, above the earpiece
	C	Business Radios Bluetooth Solutions	PMLN6463	Swivel	In-line
		Operations Critical Wireless Earbud with 11.5 inch cable	NNTN8294	Earbud	In-line
DM4000 SERIES	Cart of the second	Operations Critical Wireless Earbud with 45 inch cable	NNTN8295	Earbud	In-line
		Operations Critical Wireless push-to-talk pod	PMLN6050	N/A	N/A
		XBT Operations Critical Wireless Behind- the-Neck Headset	RLN6490	Behind-the-head	noise cancellation microphone
	0.	XBT Operations Critical Wireless Headband Style Headset	RLN6491	Over-the head	noise cancellation microphone

Note: DM4401 and DM4601 mobile radios have Bluetooth embedded in the radio.

EARPIECE TYPE: Choose the right fit for your operations – a simple, low cost, discreet earbud or the rugged, high performance CommPort[™] style earpiece.

HOW DO MOBILE WIRELESS ACCESSORIES HELP ME?

Use your mobile radio like never before and freely move around your vehicle. This means a driver can sort through packages on the back of the delivery truck, a bus driver can check on students in the back of the bus, or a city worker can trim trees from a cherry picker and all can still remain connected to their mobile radio. And by removing the wired connection to a desktop mobile, a dispatcher can walk around the office and manage calls.


PTT	TALK TIME (HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	DIMENSIONS (MM)	WEIGHT (GRAMS)	PAIRING TYPE	IP RATING
On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
Requires separate PTT pod	8	<3	44 x 32 x 11	20	Standard	
Requires separate PTT pod	10 with PTT pod				Standard	IP54
Requires separate PTT pod	10 with PTT pod				Standard	IP54
On PTT pod	10	3	70 x 41 x 25	43	Standard	IP54
on the headset	22	7	120 x 160 x 160	429	Standard	IP54
on the headset	22	7	120 x 160 x 160	422	Standard	IP54

MICROPHONE: The in-line microphone on the earbud earpiece is great for general use, while the directional microphone on the CommPort[™] style earpiece is ideal for lower noise environments.

MOTOTRBO MOBILE RADIOS

COMPATIBILITY	ACCESSORY		
compromising safety.	Trunnion kits give you th	ESSORIES Mount your radio in your vehicle of effexibility to mount the radio under your dash int kits allow the radio be mounted in the trunk	n, in your dash,
MOBILE RADIOS	INSTALLATION AND MOUNTING ACCESSORIES	DESCRIPTION	PART NUMBER
		High Profile Trunnion Kit with under dash or floor mount	RLN6467
DM4000 SERIES		Low Profile Trunnion Kit keeps radio tucked up under dash	RLN6469
		Key Lock Trunnion Kit provides extra protection from theft	RLN6468
		High Profile Trunnion Kit with under dash or floor mount	RLN6078
DM3000 SERIES	A CONTRACT	Key Lock Trunnion Kit provides extra protection from theft	RLN6079
DM3000 SERIES		Direct In Dashboard Mounting Kit	RLN5933
DM4000 SERIES	E.	Direct In Dashboard Mounting Kit	RLN6465
DM3000 SERIES		MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN5404
DM4000 SERIES		MOTOTRBO Mobile Remote Mount Adapter Kit	PMLN6404





COMPATIBILITY	ACCESSORY						
EXTERNAL SPEAKERS Boost audio at your control station on your desk or in your vehicle with external speakers. Different watt speakers can be customised to your environment.							
MOBILE RADIOS	EXTERNAL SPEAKERS	DESCRIPTION	PART NUMBER				
		13W External Speaker	RSN4002				
DM3000 SERIES		7.5W External Speaker	RSN4003				
DM4000 SERIES	Q	5W External Speaker	RSN4004				



MOTOTRBO MOBILE RADIOS

COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	CABLES	DESCRIPTION	PART NUMBER
	0	DM3000 Series Remote Mount 5-Metre Cable Kit	PMKN4073
DM3000 SERIES	\sim	DM3000 Series Remote Mount 3-Metre Cable Kit	PMKN4074
		DM4000 Series Remote Mount 3-Metre Cable Kit	PMKN4143
DM4000 SERIES	X	DM4000 Series Remote Mount 5-Metre Cable Kit	PMKN4144
		Power Cable to Battery, 10 foot, 20 amp for 1 to 60W radios, 12 AWG	HKN4191
	Ϋ́Ϋ́Υ –	Power Cable to Battery, 20 foot, 20 amp for 1 to 60W radios, 10 AWG	HKN4192
		Power Cable to Battery, 10 foot, 15 amp for 1 to 25W radios, 14 AWG	HKN4137
	0%	Ignition Sense Cable	RKN4136
DM3000 SERIES	\frown	Mobile and Repeater Rear Accessory Programming Cable	PMKN4010
DM4000 SERIES	\mathcal{Q}^*	Mobile and Repeater Rear Programming, Test and Alignment Cable	PMKN4016
		Mobile Rear Accessory Connector Universal Cable	PMKN4018
		Mobile Front Programming Cable	HKN6184
		Hardware Kit for Rear Accessory Connector	PMLN5072



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS A var antennas.	iety of antennas ensure	the best possible reception wherever you op	erate. Choose fron	n antennas with	integrated GP	S to standalone	e RF
MOBILE RADIOS	UHF ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTIN STYLE
COMBINATION (GPS/UHF ANTENNA	S					
		GPS/UHF Combination 1/4 Wave Antenna for the 403-430 MHz range	PMAE4035	UHF	403-430	•	Through- hole
		GPS/UHF Combination 1/4 Wave Antenna for the 450-470 MHz range	PMAE4037	UHF	450-470	•	Through- hole
		GPS/UHF Combination Antenna for the 406-420 MHz range, 3.5 dB Gain	PMAE4036	UHF	406-420	٠	Through- hole
DM3000 DM3000		GPS/UHF Combination Antenna for the 450-470 MHz range, 5 dB Gain	PMAE4038	UHF	450-470	•	Through- hole
DM4000 SERIES		GPS/UHF Combination Antenna for the 403-527 MHz range, 2 dB Gain	HAE6017	UHF	403-527	•	Through hole
		GPS/UHF Combination 1/4 Wave Antenna for the 470-527 MHz range	HAE6018	UHF	470-527	•	Through- hole
		GPS/UHF Combination Through-hole Mount Antenna for 470-494 MHz, 3.5 dB Gain	HAE6025	UHF	470-494	•	Through hole
		GPS/UHF Combination Through-hole Mount Antenna, 494-512 MHz, 3 dB Gain	HAE6023	UHF	494-512	•	Through hole

GPS antennas only supply information to GPS enabled radios.

FREQUENCY BAND: Most antennas only cover a portion of a frequency band. Our wideband UHF and VHF antennas offer coverage across the entire band, enhancing your communication flexibility.


 $\ensuremath{\textbf{INTEGRATED}}$ GPS: To support GPS capability in the radio, the GPS antenna is integrated into the RF antenna.

MOTOTRBO MOBILE RADIOS

COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	UHF/VHF/GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
UHF ANTENNAS	(RF ONLY)						
DM3000 SERIES	4	UHF Wide Area Through-hole Mount Antenna for the 403-527 MHz range 2dB Gain.	HAE6021	UHF	403-527		Through- hole
DM4000		UHF Urban Through-hole Mount 1/4 Wave Antenna for the 450-470 MHz range	HAE4003	UHF	450-470		Through- hole
SERIES	~	UHF Urban Through-hole Mount 1/4 Wave Antenna for the 470-512 MHz range	HAE4004	UHF	470-512		Through- hole
COMBINATION G	PS/VHF ANTENNAS						
		GPS/VHF Combination Through-hole Mount 1/4 wave Antenna for the 136-144 MHz range	RAD4219	VHF	136-144	•	Through- hole
DM3000 SERIES		GPS/VHF Combination Through-hole Mount 1/4 wave Antenna for the 146-150.8 MHz range	RAD4220	VHF	146- 150.8	•	Through- hole
DM4000 SERIES		GPS/VHF Through-hole Mount 1/4 wave Antenna for the 150.8-162 MHz range	RAD4221	VHF	150.8- 162	•	Through- hole
SERIES	_	GPS/VHF Through-hole Mount 1/4 wave Antenna for the 162-174 MHz range	RAD4222	VHF	162-174	٠	Through- hole



COMPATIBILITY	ACCESSORY			FEATURES			
ANTENNAS							
MOBILE RADIOS	VHF / GPS ANTENNAS	DESCRIPTION	PART NUMBER	UHF / VHF / (800/900 MHz)	FREQUENCY BAND (MHz)	INTEGRATED GPS	MOUNTING STYLE
VHF ANTENNAS	(RF ONLY)		·				
DM3000 SERIES	*	VHF Urban Through-hole Mount 1/4 Wave Antenna for the 150.8-162 MHz range	HAD4008	VHF	150.8-162		Through- hole
SERIES DM4000 SERIES	VHF Urban Through-hole Mount 1/4 Wave Antenna for the 162-174 MHz range	HAD4009	VHF	162-174		Through- hole	
STANDALONE GF	PS ANTENNAS						
	•	Fixed Mount GPS Active Antenna	PMAN4000	N/A	N/A	•	Fixed
DM3000 SERIES	O	Glass Mount GPS Active Antenna	PMAN4001	N/A	N/A	•	Glass
DM4000 SERIES		Magnetic Mount GPS Active Antenna	PMAN4002	N/A	N/A	•	Magnetic



For more information on Motorola accessories, visit www.motorolasolutions.com/au

The information presented herein is to the best of our knowledge true and accurate. No warranty or guarantee expressed or implied is made regarding the capacity, performance or suitability of any product. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylised M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2014 Motorola Solutions, Inc. All rights reserved.





